

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	142	726/17.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 17:55
L2	173	726/12.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 17:55
L3	0	I1 and I2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 17:55
L4	0	I1 and ((user near profile) same (regular near expression))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 17:56
L5	0	I2 and ((user near profile) same (regular near expression))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 17:59
L6	0	I2 and ((user near profile) and (regular near expression))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 17:56
L7	0	I1 and ((user near profile) and (regular near expression))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 17:56
L8	9	I1 and ((user near profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 17:56
L9	21	I2 and ((user near profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 18:03

L10	1962	709/225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 18:04
L11	25	l10 and (aaa near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 18:04
L12	10	l11 and (user near profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 18:04
S1	25	radius near session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 16:15
S2	0	((radius near session) and user and (network near device)) and (user near profile) and (authoriz\$3 near user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 08:37
S3	5	(radius near session) and user and (network near device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 08:44
S4	1	"6249519".PN.	USPAT	OR	OFF	2004/04/27 08:40
S5	1	"6167027".PN.	USPAT	OR	OFF	2004/04/27 08:41
S6	1	"6160793".PN.	USPAT	OR	OFF	2004/04/27 08:41
S7	1	"6011804".PN.	USPAT	OR	OFF	2004/04/27 08:42
S8	428	remote near authoriz\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 08:45
S9	54	(remote near authoriz\$3) and (user near profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 08:46
S10	3	((remote near authoriz\$3) and (user near profile)) and @pd<="20001207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 08:47

S11	213	radius near protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 08:48
S12	36	(radius near protocol) and (user near profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 09:18
S13	708	Authoriz\$3 near (execut\$3 or command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 09:18
S14	1	(Authoriz\$3 near (execut\$3 or command)) and (radius near protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 09:19
S15	46	(Authoriz\$3 near (execut\$3 or command)) and (user near profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 09:19
S16	3	((Authoriz\$3 near (execut\$3 or command)) and (user near profile)) and (remot\$3 near authoriz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 09:30
S17	0	(Authoriz\$3 near (execut\$3 or command)) and (aaa near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 09:30
S18	6	(Authoriz\$3 near (execut\$3 or command)) and (aaa)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 09:33
S19	4	(remote near authoriz\$3) and (aaa near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 13:17
S20	1	"6141687".PN.	USPAT	OR	OFF	2004/04/27 09:34
S21	1	"6092196".PN.	USPAT	OR	OFF	2004/04/27 09:34
S22	1	"5944824".PN.	USPAT	OR	OFF	2004/04/27 09:35

S23	10749	user near profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 13:37
S24	421	(user near profile) and (command near set)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 13:18
S25	33	((user near profile) and (command near set)) and (regular near expressions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 13:26
S26	0	((((user near profile) and (command near set)) and (regular near expressions)) and (execut\$3 near right)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 13:26
S27	33	((((user near profile) and (command near set)) and (regular near expressions)) and (execut\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 13:27
S28	29	((((user near profile) and (command near set)) and (regular near expressions)) and acl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 13:27
S29	0	(((((user near profile) and (command near set)) and (regular near expressions)) and acl) and server and radius	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 13:27
S30	224	acl and radius	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 13:28
S31	48	acl and radius and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 13:28
S32	0	(acl and radius and server) and (suthenticat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 13:28

S33	32	(acl and radius and server) and (authenticat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 13:28
S34	6125	(user near profile) and (execut\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 13:38
S35	3043	(user near profile) and (authenticat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 13:38
S36	49	((user near profile) and (authenticat\$3)) and ((red write execute modify delete) near right)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 13:58
S37	1	"6249801".PN.	USPAT	OR	OFF	2004/04/27 13:48
S38	1	"6212640".PN.	USPAT	OR	OFF	2004/04/27 13:49
S39	1	"6167438".PN.	USPAT	OR	OFF	2004/04/27 13:49
S40	1	"6167438".PN.	USPAT	OR	OFF	2004/04/27 13:49
S41	1	"6154839".PN.	USPAT	OR	OFF	2004/04/27 13:49
S42	1	"6141759".PN.	USPAT	OR	OFF	2004/04/27 13:50
S43	1	"6141759".PN.	USPAT	OR	OFF	2004/04/27 13:51
S44	1	"5909542".PN.	USPAT	OR	OFF	2004/04/27 13:51
S45	1	"6092196".PN.	USPAT	OR	OFF	2004/04/27 13:52
S46	1	"6047376".PN.	USPAT	OR	OFF	2004/04/27 13:53
S47	1	"5649099".PN.	USPAT	OR	OFF	2004/04/27 13:54
S48	4456	(user near profile) and commands	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 14:07
S49	3476	((user near profile) and commands) and execut\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 13:59
S50	78	((user near profile) and commands) and (authoriz\$3 near request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 14:00

S51	70	((user near profile) and commands) and (authoriz\$3 near request)) and database and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 14:01
S52	19	((((user near profile) and commands) and (authoriz\$3 near request)) and database and memory) and @pd<"20001207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 14:01
S53	8	(user near profile) and (list near authoriz\$3 near request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 14:13
S54	115	(user near profile) and (regular near expressions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 16:36
S55	9	temporary near user near profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 16:37
S56	69	delet\$3 near user near profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 16:38
S57	5	(delet\$3 near user near profile) and @pd<"20001207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/27 16:38
S58	2	"6061650".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 10:30
S59	2	"5897635".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 06:11
S60	104	(radius near5 session)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 06:12

S61	2	S60 and (regular near5 expression)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 06:14
S62	2989	(regular near5 expression)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 06:30
S63	3	S62 and server and ((authoriz\$4 near10 user) same (regular near5 expression))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 06:16
S64	55855	(regular near5 expression) or (command near5 set)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 06:27
S65	11	S64 and (aaa near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 06:27
S66	1030	S64 and (user near profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 06:27
S67	140	S62 and (user near profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 06:31
S68	2	"I38" and (authoriz\$4 near5 user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 06:32
S69	23	"I8" and (authoriz\$4 near5 user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 06:32
S70	58	S67 and (authoriz\$4 near5 user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 07:09

S71	5	"6587433"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 06:38
S72	2	"6587433".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 06:39
S73	7	S70 and nas	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 07:10
S74	7	S70 and "NAS"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 07:12
S75	277712	"NAS"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 07:12
S76	98	S75 AND ("AAA" near4 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 07:13
S77	4	S76 and (command near set)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 07:14
S78	1	(S76 not S77) and @pd<"20001207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 07:16
S79	3749	713/201.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 15:58
S80	14	S79 and (command same (user near profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 15:19



S81	3101	713/200.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 15:19
S82	0	S81 and (push\$5 near5 (return near address)) and ((retriev\$5 same compar\$5) near5 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 15:21
S83	4	S81 and (push\$5 near5 (return near address)) and (compar\$5 near5 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 15:24
S84	0	S81 and (stack same (memory near address)) and (system near clock) and (random near number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 15:25
S85	14	S81 and (stack same (memory near address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 15:25
S86	13	S85 not S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 07:24
S87	0	713/200.ccls. and (prevent\$5 near5 (overflow or overrun))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 07:27
S88	5	713/200.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 07:26
S89	1030	stack and (prevent\$5 near5 (overflow or overrun))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 08:33
S90	1	S89 and ((retriev\$5 and compar\$6) near10 token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 07:32

S91	27	S89 and ((retriev\$5 and compar\$6) near10 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 07:32
S92	2	S91 and (random near number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 07:32
S93	4	"I3" and (security near token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 08:40
S94	0	713/200.ccls. and (security near token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 08:40
S95	1735	((user near profile) same (command or instruction))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/12 16:16
S96	0	((user near profile) same (command and (regular near3 expression)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 10:34
S97	2	"5966450".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 10:47
S98	0	((compar\$5 and autoriz\$6) near5 command) same (user near profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 10:49
S99	3	((compar\$5 and autoriz\$6) near5 command) and (user near profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 11:03
S10 0	538	((compar\$5 and autoriz\$6) near5 (operat\$5 or execut\$5 or access\$5)) and (user near profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 11:03

S10 1	7	S100 and (aaa near4 server) and nas	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 11:22
S10 2	7	S100 and (aaa near4 server) and "nas"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 11:46
S10 3	7	"6108788"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 11:47
S10 4	2063	Regular near expression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 11:47
S10 5	4	S104 and ((look near up or compar\$5) near10 (user near profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 11:50
S10 6	85	S104 and (authoriz\$5 near10 (operation or action))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 11:51
S10 7	39	S106 and (user near profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 12:38
S10 8	0	S107 and 713/202.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 12:38
S10 9	0	S107 and 713/201.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 12:38
S11 0	0	713/201.ccls. and (user near profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 12:39

S11 1	515	"726".clas. and (user near profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 12:39
S11 2	5	"726".clas. and (user near profile) and (regular near expression)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:05
S11 3	17	"726".clas. and (user near profile) and (authoriz\$6 near5 execution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:05
S11 4	17	S113 not S112	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:51
S11 5	2063	regular near expression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:51
S11 6	1	S115 and (user near profile) and (authoriz\$5 near5 command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:53
S11 7	8	S115 and (authoriz\$5 near5 command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:53
S11 8	7	S117 not S116	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:14
S11 9	164	encrypted near5 (sequence near number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:14
S12 0	18	S119 and reassembl\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:29

S12 1	0	"08696452"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:29
S12 2	0	"08696452".an.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:30
S12 3	2	@pd="19960813" and (frame near counter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:32
S12 4	17	encrypted near5 (port near address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:44
S12 5	1533	encrypted near5 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:44
S12 6	1108	encrypted near3 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:44
S12 7	154	S126 and (encrypt\$6 near10 (destination near3 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 16:18
S12 8	15649	user near profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 16:19
S12 9	166	S128 and (regular near expression)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 16:19
S13 0	5	(user near profile) same (regular near expression)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 16:42

S13 1	20	(cookie) same (regular near expression)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 16:22
S13 2	20	S131 not S130	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 16:28
S13 3	342	download\$5 near5 (user near profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 16:29
S13 4	2	S133 and (aaa near3 server) and RADIUS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 16:30
S13 5	1	(user near certificate) same (regular near expression)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 17:54